THE BIOCHEMICAL JOURNAL

MOLECULAR ASPECTS

Volume 193 1981

EDITORIAL BOARD

Chairman
J. T. Dingle

Deputy Chairmen
C. I. Pogson
A. J. Kenny
J. B. Clark
A. J. Cornish-Bowden
J. A. Lucy

Editorial Manager
A. G. J. Evans

Editorial Secretary
A. S. Beedle

P. M. Bayley
W. J. Brammar
R. C. Bray
J. W. Bridges
D. N. Brindley
H. G. Britton
K. Brocklehurst
M. J. Clemens
B. A. Cooke
D. D. Davies
R. T. Dean
R. M. Denton
F. M. Dickinson
G. J. Dutton
P. C. Engel
J. E. Fothergill
P. J. Garlick
J. L. Gordon
D. E. Griffiths
L. A. Grivell

B. A. Haddock
L. Hue
O. T. G. Jones
P. Lund
R. M. Marchbanks
G. Murphy
N. B. Myant
K. B. M. Reid
D. Robinson
D. Schulster
J. E. Scott
S. P. Spragg
D. R. Stanworth
M. J. A. Tanner
P. Tulkens
R. T. Walker

The Editorial Board includes two members nominated by the British Biophysical Society

London: The Biochemical Society © 1981

THE BIOCHEMICAL SOCIETY, 7 WARWICK COURT, LONDON WC1R 5DP

ISSN: 0306-3275

Printed in Great Britain by Spottiswoode Ballantyne Ltd.
Colchester and London

Contents of Volume 193, No. 1

Policy of the Journal and Instructions to Authors		**1–27**
Peptide and Protein Structure		
Autolytic fragmentation of complement components C3 and C4 under denaturing conditions, a property shared with α_2-macroglobulin	R. B. SIM & E. SIM	**129–141**
Isomyosins in human type 1 and type 2 skeletal muscle fibres	R. B. FITZSIMONS & J. F. Y. HOH	**229–233**
Properties of methyl acetimidate and its use as a protein-modifying reagent	A. J. MAKOFF & A. D. B. MALCOLM	**245–249**
Comparative studies on amniotic fluid and plasma fibronectins	E. RUOSLAHTI, E. ENGVALL, E. G. HAYMAN & R. G. SPIRO	**295–299**
Biophysical characterization of *Artemia salina* (L.) extracellular haemoglobins	E. J. WOOD, C. BAKER, L. MOENS, W. JACOB, J. HEIP & M. KONDO	**353–359**
Enzymes and Enzyme Kinetics		
Natural plant enzyme inhibitors. Characterization of an unusual α-amylase/trypsin inhibitor from ragi (*Eleusine coracana* Geartn.)	B. SHIVARAJ & T. N. PATTABIRAMAN	**29–36**
Inactivation of aspartyl proteinases by butane-2,3-dione. Modification of tryptophan and tyrosine residues and evidence against reaction of arginine residues	J.-C. GRIPON & T. HOFMANN	**55–65**
Substrate specificity and mode of actions of the cellulases from the thermophilic fungus *Thermoascus aurantiacus*	M. G. SHEPHERD, C. C. TONG & A. L. COLE	**67–74**
The exocellular β-lactamase of *Streptomyces albus* G. Purification, properties and comparison with the exocellular DD-carboxypeptidase	C. DUEZ, J.-M. FRÈRE, D. KLEIN, M. NOËL, J.-M. GHUYSEN, L. DELCAMBE & L. DIERICKX	**75–82**
The penicillin-binding site in the exocellular D-D-carboxypeptidase–transpeptidase of *Actinomadura* R39	C. DUEZ, B. JORIS, J.-M. FRÈRE & J.-M. GHUYSEN	**83–86**
The chemical reactivity of the histidine-195 residue in lactate dehydrogenase thiomethylated at the cysteine-165 residue	D. P. BLOXHAM	**93–97**
Production of superoxide radicals by soluble hydrogenase from *Alcaligenes eutrophus* H16	K. SCHNEIDER & H. G. SCHLEGEL	**99–107**
Characterization of an unusual isoenzyme of *N*-acetyl-β-D-hexosaminidase from a human colonic carcinoma cell line	P. M. KIMBALL, M. G. BRATTAIN & W. E. WHITE	**109–113**
Human plasma kallikrein. A rapid purification method with high yield	H. NAGASE & A. J. BARRETT	**187–192**
Evidence for polymorphonuclear-leucocyte-derived proteinases in arthritic cartilage	J. D. SANDY, A. SRIRATANA, H. L. G. BROWN & D. A. LOWTHER	**193–202**
Inactivation of Δ^5-3-oxo steroid isomerase with active-site-directed acetylenic steroids	T. M. PENNING, D. F. COVEY & P. TALALAY	**217–227**
Kinetic and physical properties of the L-malate–NAD^+ oxidoreductase from *Methanospirillum hungatii* and comparison with the enzyme from other sources	A. C. STORER, G. D. SPROTT & W. G. MARTIN	**235–244**
Isolation and characterization of tryase, a serine proteinase from rat liver	J. SAKLATVALA, J. S. BOND & A. J. BARRETT	**251–259**
Studies on the hydrophobic properties of sphingomyelinase	J. W. CALLAHAN, J. GERRIE, C. S. JONES & P. SHANKARAN	**275–283**
The effects of surface and macromolecular interactions on the kinetics of inactivation of trypsin and α-chymotrypsin	P. JOHNSON & T. L. WHATELEY	**285–294**
Purification of porphobilinogen deaminase from *Euglena gracilis* and studies of its kinetics	D. C. WILLIAMS, G. S. MORGAN, E. MCDONALD & A. R. BATTERSBY	**301–310**

Deviations from Michaelis–Menten kinetics. Computation of the probabilities of obtaining complex curves from simple kinetic schemes	F. Solano-Muñoz, P. B. McGinlay, R. Woolfson & W. G. Bardsley	339–352
Tissue distribution and subunit structures of the multiple forms of glutathione *S*-transferase in the rat	N. C. Scully & T. J. Mantle	367–370
Metalloproteins		
Changes in the characteristics and distribution of ferritin in iron-loaded cell cultures	T. G. Hoy & A. Jacobs	87–92
Involvement of superoxide anion in the reaction mechanism of haemoglobin oxidation by nitrite	A. Tomoda, A. Tsuji & Y. Yoneyama	169–179
Kinetic analysis of myoglobin autoxidation by isoelectric-focusing electrophoresis	A. Tomoda, T. Takizawa, A. Tsuji & Y. Yoneyama	181–185
Oxygen-binding and immunological properties of complexes between dextran and animal haemoglobins	P. G. Cunnington, S. N. Jenkins, S.-C. Tam & J. T.-F. Wong	261–266
A novel procedure for the rapid purification of plastocyanin from pea (*Pisum sativum*) leaves	A. R. Ashton & L. E. Anderson	375–378
Gene Structure and Function		
The preparation and characterization of locust vitellogenin messenger RNA and the synthesis of its complementary DNA	S. W. Applebaum, T. C. James, D. H. Wreschner & J. R. Tata	209–216
Poly(adenylic acid) in small amounts, free or covalently linked to substrate, protects RNA from hydrolysis by ribonuclease	T. P. Karpetsky, K. K. Shriver & C. C. Levy	311–324
The effect of polyamines on the poly(adenylic acid)-induced inhibition of ribonuclease activity	T. P. Karpetsky, K. K. Shriver & C. C. Levy	325–337
Lipids		
Dynamic modulation of mitochondrial inner-membrane lipids in rat heart by dietary fat	S. M. Innis & M. T. Clandinin	155–167
Effect of bile salts on the hydrolysis of gangliosides, glycoproteins and neuraminyl-lactose by the neuraminidase of *Clostridium perfringens*	S. Gatt, B. Gazit & Y. Barenholz	267–273
Membranes		
9-Aminoacridine as a fluorescent probe of the electrical diffuse layer associated with the membranes of plant mitochondria	I. M. Møller, W.-S. Chow, J. M. Palmer & J. Barber	37–46
Isolation and characterization of a major glycoprotein from milk-fat-globule membrane of human breast milk	A. Imam, D. J. R. Laurence & A. M. Neville	47–54
Carbohydrates and Complex Carbohydrates		
Isolation and characterization of dermatan sulphate proteoglycans from bovine sclera	L. Cöster & L.-Å. Fransson	143–153
Distribution of receptor sites on large glycoprotein molecules by electron microscopy. Application to epiglycanin	H. S. Slayter & J. F. Codington	203–207
Erythroglycan biosynthesis in K-562 cells. Inhibition of synthesis by tunicamycin and lack of attachment to the G-protein of vesicular-stomatitis virus	J. S. Rush, S. J. Turco & R. A. Laine	361–365
Physical Biochemistry		
The covalent-binding reaction of complement component C3	R. B. Sim, T. M. Twose, D. S. Paterson & E. Sim	115–127
General Methods		
Double-label reductive methylation of tissue proteins for precision two-dimensional polyacrylamide-gel electrophoretic analysis	J. M. Finger & K. H. Choo	371–374

Contents of Volume 193, No. 2

Peptide and Protein Structures

Studies of pyruvate–water isotope exchange catalysed by erythrocytes and proteins	R. J. Simpson, K. M. Brindle, F. F. Brown, I. D. Campbell & D. L. Foxall	401–406
Kinetic and equilibrium metal-ion-binding behaviour reflected in a metal-ion-dependent antigenic determinant in bovine prothrombin. Comparison with bovine prothrombin fragment 1	D. A. Madar, T. J. Hall, R. G. Hiskey & K. A. Koehler	411–418
Chemical properties of the functional groups of insulin	Y.-K. Chan, G. Oda & H. Kaplan	419–425
Characterization of collagenous and non-collagenous peptides of a glycoprotein isolated from alveoli of patients with alveolar proteinosis	S. N. Bhattacharyya	447–457
The preparation and properties of folate-binding protein from cow's milk	D. N. Salter, K. J. Scott, H. Slade & P. Andrews	469–476
Structural studies of eukaryotic cytochrome *c* modified at methionine-65	A. P. Boswell, G. R. Moore, R. J. P. Williams, C. J. A. Wallace, P. J. Boon, R. J. F. Nivard & G. I. Tesser	493–502
Identification of 'buried' lysine residues in two variants of chloramphenicol acetyltransferase specified by R-factors	L. C. Packman & W. V. Shaw	525–539
The use of naturally occurring hybrid variants of chloramphenicol acetyltransferase to investigate subunit contacts	L. C. Packman & W. V. Shaw	541–552
Isolation of an actin-binding fragment of fibronectin	J. Keski-Oja & K. M. Yamada	615–620
Purification and characterization of subcomponent C1q of the first component of mouse complement	K. Yonemasu & T. Sasaki	621–629
Variant specific antigens of *Trypanosoma brucei* exist in solution as glycoprotein dimers	C. A. Auffret & M. J. Turner	647–650

Enzymes and Enzyme Kinetics

Purification and characterization of a thermostable glucoamylase from the thermophilic fungus *Thermomyces lanuginosus*	V. Basaveswara Rao, N. V. S. Sastri & P. V. Subba Rao	379–387
Thermal stabilization of glucose oxidase and glucoamylase by physical entrapment	V. Basaveswara Rao, N. V. S. Sastri & P. V. Subba Rao	389–394
The molecular-weight dependence of the rate-enhancing effect of heparin on the inhibition of thrombin, Factor X_a, Factor IX_a, Factor XI_a, Factor XII_a and kallikrein by antithrombin	E. Holmer, K. Kurachi & G. Söderström	395–400
Glucose 6-phosphate activation of pyruvate kinase from *Mycobacterium smegmatis*	R. Kapoor & T. A. Venkitasubramanian	435–440
Kinetic studies of the mechanism of pig kidney aldehyde reductase	F. F. Morpeth & F. M. Dickinson	485–492
Affinity-chromatographic purification of *S*-adenosyl-L-homocysteine hydrolase. Some properties of the enzyme from rat liver	E. O. Kajander & A. M. Raina	503–512
Purification and properties of D-ribulokinase and D-xylulokinase from *Klebsiella aerogenes*	M. S. Neuberger, B. S. Hartley & J. E. Walker	513–524
The binding of monosaccharide inhibitors to hen egg-white lysozyme by proton magnetic resonance at 270 MHz and analysis by ring-current calculations	S. J. Perkins, L. N. Johnson, D. C. Phillips & R. A. Dwek	553–572
The simultaneous binding of lanthanide and *N*-acetylglucosamine inhibitors to hen egg-white lysozyme in solution by ^1H and ^{13}C nuclear magnetic resonance	S. J. Perkins, L. N. Johnson, D. C. Phillips & R. A. Dwek	573–588
Mouse macrophage elastase. Purification and characterization as a metalloproteinase	M. J. Banda & Z. Werb	589–605
Calcium-binding constants of trypsin and trypsinogen. A reassessment	S. G. R. Cliffe & D. A. W. Grant	655–658

Metalloproteins

On the reactivity of metalloproteins with 5,5′-dithiobis-(2-nitrobenzoic acid) — T.-Y. Li, D. T. Minkel, C. F. Shaw, III & D. H. Petering — **441–446**

Dependence on freezing of the geometry and redox potential of Type 1 and Type 2 copper sites of Japanese-lacquer-tree (*Rhus vernicifera*) laccase — L. Morpurgo, L. Calabrese, A. Desideri & G. Rotilio — **639–642**

Gene Structure and Fu nction

Sequence of a secondary phage λ attachment site located between the pentitol operons of *Klebsiella aerogenes* — T. Loviny, M. S. Neuberger & B. S. Hartley — **631–637**

Lipids

The hydrolysis of phosphatidylinositol monolayers at an air/water interface by the calcium-ion-dependent phosphatidylinositol phosphodiesterase of pig brain — K. Hirasawa, R. F. Irvine & R. M. C. Dawson — **607–614**

Interaction of glycosphingolipids with melittin and myelin basic protein in monolayers — G. D. Fidelio, B. Maggio, F. A. Cumar & R. Caputto — **643–646**

Carbohydrates and Complex Carbohydrates

Selective binding of zinc ions to heparin rather than to other glycosaminoglycans — R. F. Parrish & W. R. Fair — **407–410**

Binding to antithrombin of heparin fractions with different molecular weights — Å. Danielsson & I. Björk — **427–433**

Age-related changes in the chemical composition of bovine articular cartilage. The structure of high-density proteoglycans — H. G. Garg & D. A. Swann — **459–468**

The effect of tsushimycin on the synthesis of lipid-linked saccharides in aorta — A. D. Elbein — **477–484**

Deficient phosphorylation of mannose residues of mannan in fibroblasts of patients with mucolipidoses II and III — Y. Ben-Yoseph, L. C. Hahn, C. L. DeFranco & H. L. Nadler — **651–654**

Contents of Volume 193, No. 3

Peptide and Protein Structure

Conformational changes in rat liver chromatin after liver regeneration — H. Simpkins, L. M. Thompson, N. Waldeck, D. S. Gross & D. Mooney — **671–678**

Nature of the thiamin-binding protein from chicken egg yolk — K. Muniyappa & P. R. Adiga — **679–685**

The influence of pH on the equilibrium distribution of iron between the metal-binding sites of human transferrin — N. D. Chasteen & J. Williams — **717–727**

Influence of the α-, β- and γ-subunits of the energy-transducing adenosine triphosphatase from *Micrococcus lysodeikticus* in the immunochemical properties of the protein and in their reconstitution studied by a radioimmunoassay method — V. Larraga, F. Mollinedo, N. Rubio & E. Muñoz — **729–735**

Isolation and characterization of pepsin fragments of laminin from human placental and renal basement membranes — L. Risteli & R. Timpl — **749–755**

Chemical cross-linking of a dimeric protein on a modified lectin matrix. A general probe for the chemical topology of oligomeric glycoproteins — S. Pillai — **825–828**

Isolation and characterization of calmodulin from an insulin-secreting tumour — J. C. Hutton, E. J. Penn, P. Jackson & C. N. Hales — **875–885**

Actin from pig and rat uterus — J. S. Elce, A. S. U. Elbrecht, M. U. Middlestadt, E. J. McIntyre & P. J. Anderson — **891–898**

Isolation, properties and amino acid sequence of a long-chain neurotoxin, Acanthophis antarcticus b, from the venom of an Australian snake (the common death adder, *Acanthophis antarcticus*) — H. S. Kim & N. Tamiya — **899–906**

Platelet-derived growth factor. Isolation by a large-scale procedure and analysis of subunit composition — C.-H. Heldin, B. Westermark & Å. Wasteson — **907–913**

Desmosines in human urine. Amounts in early development and in Marfan's syndrome	Z. Gunja-Smith & R. J. Boucek	915–918
Tritiation of α-bungarotoxin with *N*-succinimidyl[2,3-^{3}H]-propionate. A useful reagent for labelling proteins	J. O. Dolly, E. A. V. Nockles, M. M. S. Lo & E. A. Barnard	919–923
Influence of myosin heavy chains on the Ca^{2+}-binding properties of light chain, LC_2	S. Srivastava, A. Muhlrad & J. Wikman-Coffelt	925–934
Size characteristics of human leucocyte interferon under reducing and non-reducing conditions	I. A. Braude, L. S. Lin & W. E. Stewart, II	947–951
Amino acid sequence and oligosaccharide distribution of the haemagglutinin from an early Hong Kong influenza virus variant A/Aichi/2/68 (X-31)	C. W. Ward & T. A. Dopheide	953–962
The separation of functionally distinct forms of the third component of human complement (C3)	C. Parkes, R. G. DiScipio, M. A. Kerr & R. Prohaska	963–970
Enzymes and Enzyme Kinetics		
Purification and characterization of a lysosomal form and a variant form of β-glucuronidase from the rat basophil leukaemia tumour	L. B. Schwartz & K. F. Austen	663–670
Properties of rat renal phosphate-dependent glutaminase coupled to Sepharose. Evidence that dimerization is essential for activation	R. F. Morehouse & N. P. Curthoys	709–716
Cleavage by trypsin and by the proteinase from *Armillaria mellea* at ε-*N*-formyl-lysine residues	F. P. Barry, S. Doonan & C. A. Ross	737–742
The stability and aggregation properties of human liver acid β-D-galactosidase	C. M. Heyworth, E. F. Neumann & C. H. Wynn	773–779
Radiochemical methods for the assay of phosphorylase in the direction of glycogenolysis	G. Gevers & W. Stalmans	793–798
Studies on the mechanism of action of 6-mercaptopurine. Interaction with copper and xanthine oxidase	U. Kela & R. Vijayvargiya	799–803
Identification of the apparently essential lysine residues in phospholipase C (*Bacillus cereus*)	B. J. Myrnes & C. Little	805–809
Evidence that the lack of high catalytic activity of thiol-subtilisin towards specific substrates may be due to an inappropriately located proton-distribution system. Demonstration of highly nucleophilic character of the thiol group of thiosubtilisin in the catalytically relevant ionization state of the active centre by use of a two-protonic-state reactivity probe	K. Brocklehurst & J. P. G. Malthouse	819–823
Cyclic AMP-independent casein/glycogen synthase kinases from pig polymorphonuclear leucocytes	J. M. Pena, R. Cussó & E. Itarte	829–837
The effects of bivalent cations on ribulose bisphosphate carboxylase/oxygenase	J. T. Christeller	839–844
Inactivation of rat muscle 5′-adenylate aminohydrolase by tyrosine nitration with tetranitromethane	M. Ranieri-Raggi, C. Bergamini, U. Montali & A. Raggi	853–859
Prosthetic groups of the NADH-dependent nitrite reductase from *Escherichia coli* K12	R. H. Jackson, A. Cornish-Bowden & J. A. Cole	861–867
Studies *in vitro* on the involvement of *O*-sulphate esters in the formation of *O*-methylated 3,4-dihydroxybenzoic acid by rat liver	E. J. M. Pennings & G. M. J. Van Kempen	869–874
Immunoelectrophoretic studies on human small-intestinal brush-border proteins. Relation between enzyme activity and immunoreactive enzyme along the villus–crypt axis	H. Skovbjerg	887–890
Occupancy of sites of phosphorylation in inactive rat heart pyruvate dehydrogenase phosphate *in vivo*	G. J. Sale & P. J. Randle	935–946
Nitrogenase of *Klebsiella pneumoniae*. Hydrazine is a product of azide reduction	M. J. Dilworth & R. N. F. Thorneley	971–983
Differential inhibition of rat liver DNA polymerases *in vitro* by direct-acting carcinogens and the protective effect of a thiol reducing agent	J. Y. H. Chan & F. F. Becker	985–990

DNA polymerase of a basidiomycete fungus, *Coprinus cinereus*	D. Lowe & D. Lewis	997–1004
Fitting of enzyme kinetic data without prior knowledge of weights	A. Cornish-Bowden & L. Endrenyi	1005–1008
An easy method for the determination of initial rates	S. G. Waley	1009–1012
Metalloproteins		
A study of the magnetic properties of haem a_3 in cytochrome *c* oxidase by using magnetic-circular-dichroism spectroscopy	A. J. Thomson, M. K. Johnson, C. Greenwood & P. E. Gooding	687–697
Characterization of the partially reduced cyanide-inhibited derivative of cytochrome *c* oxidase by optical, electron-paramagnetic-resonance and magnetic-circular-dichroism spectroscopy	M. K. Johnson, D. G. Eglinton, P. E. Gooding, C. Greenwood & A. J. Thomson	699–708
N.m.r. and e.p.r. characterization of [4-carboxy-2,6-dinitrophenyl-lysine]cytochromes *c*	K.-E. Falk, P. Å. Jovall & J. Ångström	1021–1024
Gene Structure and Function		
Subcellular localization of low-molecular-weight RNA components in rat liver	S. Frederiksen, H. Flodgård & P. Hellung-Larsen	743–748
Lipids		
Fatty-acid desaturation and microsomal lipid fatty-acid composition in experimental hyperthyroidism	F. H. Faas & W. J. Carter	845–852
Formation of a double salt of phosphatidylcholine and zinc chloride	K. I. von Glós & J. C. Boursnell	1017–1019
Neutral glycolipids and gangliosides of concanavalin A-selected SV3T3 revertant cells and of normal and SV40-transformed Balb/c 3T3 cells	G. Mugnai, R. Coppini, D. Tombaccini, A. Fallani & S. Ruggieri	1025–1028
Kinetics of the photochemical interconversion among geometric photoisomers of bilirubin	K. Isobe & S. Onishi	1029–1031
Membranes		
Photolabelling of membrane proteins with photoactive phospholipids	R. Bisson & C. Montecucco	757–763
The extraction from maize (*Zea mays*) root cells of membrane-bound protein with Ca^{2+}-dependent ATPase activity and its possible role in membrane fusion *in vitro*	E. A.-H. Baydoun & D. H. Northcote	781–792
Carbohydrates and Complex Carbohydrates		
Fractionation of cell-wall preparations from grass leaves by centrifuging in non-aqueous density gradients	A. H. Gordon & J. S. D. Bacon	765–771
Degradation of keratan sulphate by β-*N*-acetylhexosaminidases A and B	T. Ludolph, E. Paschke, J. Glössl & H. Kresse	811–818
Physical Biochemistry		
Concanavalin A, a receptor protein with apparently co-operative binding characteristics	E. Köttgen, C. Bauer, U. Ehlerding & W. Gerok	659–662
General Methods		
The generation of non-linear solute gradients for chromatography by using only simple apparatus	F. Solano-Muñoz & W. G. Bardsley	991–996
A method for the preparation of low-pH dodecyl sulphate/polyacrylamide-gradient gels	G. D. Jones, M. T. Wilson & V. M. Darley-Usmar	1013–1015
B.J. Letters		
Estimation of K_m values of enzymes requiring molecular O_2 as a substrate	R. H. C. Strang	1033–1034
The structure of acetyldihydrolipoic acid	G. Hale & H. B. F. Dixon	1034–1035